



2017 Four Cylinder & Front Wheel Drive Rules

At this time, these divisions have separate features. The rules are just placed into one document for easier printing.

1. FUEL (BOTH CLASSES!)

- 1.1. Gas or E-85 only. No alcohol, no nitrous oxide, no other fuel additives.
- 1.2. Fuel Cell: All fuel cells MUST be mounted inside a 20-gauge metal box supported by two (2) 1/8 x 2" steel straps mounted inside the protective structure of the vehicle.

2. PROTEST (BOTH CLASSES!)

- 2.1. All protest procedures and fees (for both classes) are listed on the General Rules.

3. MISCELLANEOUS (BOTH CLASSES!)

- 3.1. Raceceivers are MANDATORY at ALL times a race car is on the track! Any driver without an operating raceceiver on their person will be sent to the pits! NO EXCEPTIONS!
- 3.2. Transponders are MANDATORY during heat races, qualifying, and/or features. Any car rolling onto the track without a transponder will be sent to the pits or their qualifying times disallowed.

4. SAFETY (BOTH CLASSES!)

- 4.1. **ALL** safety rules listed under **Section 11** of the **General Rules (SAFETY)** **will apply here**. NO EXCEPTIONS! For the sake of saving paper, they will **ONLY** be listed on the **General Rules!** It is **your** responsibility to comply with our Safety Rules found under General Rules!!!

5. RWD Rules

- 1.1. No aluminum heads unless it came from the factory that way.
- 1.2. Weight - 1 lb per cc, minimum 2000 lbs.
- 1.3. Carburetor - Maximum 500 CFM.
- 1.4. Stock transmission.
- 1.5. Any flywheel and clutch. No direct drive or ram couplers.
- 1.6. Must retain factory stock frame; tube frame permitted only if they are:
- 1.6.1. No further rearward than mounting locations of front strut towers. All mounting locations must remain stock.
- 1.6.2. No further forward than mounting locations of rear shock mounts. All mounting locations must remain stock.
- 1.7. Roll Cage - Four point minimum with 3 driver door bars.
- 1.8. Shocks - One per wheel, non-adjustable only. Must remain in stock locations.

- 1.9. Wheels - Maximum 10" steel wheel only. Any tire.
- 1.10. Spoiler - Maximum 8" permitted. Sides must match.
- 1.11. Fuel Pump - Electric or mechanical.

6. FWD Rules

- 6.1. Weight - 1 lb per cc, minimum 2050 lbs.
- 6.2. No turbos or superchargers.
- 6.3. May run racing tires.
- 6.4. Stock transmission.
- 6.5. Jack bolts permitted.
- 6.6. Any clutch or flywheel allowed.
- 6.7. Roll Cage - Four point minimum with 3 driver door bars.
- 6.8. Fuel Pump - Electric or Mechanical.
- 6.9. Must have Haynes or Chilton Manual for the car you are racing.